





Track & Link Lighting

LED Strip Light




4205 LED strip – 30cm
Available with blue, green, red or white LED's



4207 LED 90° angle strip

Available with blue, green, red or white LED's



4206 LED cross strip



flexible, slim profile



4260 / 4261 connector cable



6064 driver

LED Strip Light

Model No	Max Wattage	Length (mm)	Width (mm)
4205	12x LED/0.3w	300	10
4206	3x LED/0.075w	70	20
4207	3x LED/0.075w	40	40
4260	400mm LED Connector Cable		
4261	800mm LED Connector Cable		

Colours: Blue LED's
Green LED's
Red LED's
White LED's

Strip Lights supplied with 3M® adhesive fixing strip

Driver for use with 4205/06/07

Model No	Description	Height (mm)	Length (mm)	Width (mm)
6064	1000mA/12V DC	50	85	55

A maximum of 15x 4205's may be linked using 1x 6064


RGB LED Strip Light




6060 RGB LED strip – 30cm



6062 RGB LED 90° angle strip



6061 RGB LED cross strip



Blends colours through red, green and blue cycle



flexible, slim profile



6065 / 6066 connector cable



6063 driver

RGB LED Strip Light

Model No	Max Wattage	Length (mm)	Width (mm)
6060	36x LED's/2.8w	300	10
6061	9x LED's/0.72w	70	20
6062	9x LED's/0.72w	40	40
6065	400mm RGB LED Connector Cable		
6066	800mm RGB LED Connector Cable		

Colours: Red/Blue/Green LED's


Strip Lights supplied with 3M® adhesive fixing strip

Driver for use with 6060/61/62

Model No	Max Wattage	Height (mm)	Length (mm)	Width (mm)
6063	1000mA/12v DC with RGB Controller	50	85	55

A maximum of 15x 6060's may be linked using 1x 6063

LED Cabinet Lights



5775

LED Cabinet Lighting Sets



5626

5627

5628



LED Cabinet Lights – 3 Pack

Model No	Max Wattage	Height (mm)	Proj (mm)	Width (mm)
5775	6x White LED's/0.48w	40	125	125

Colour: Brushed Steel
Supplied with transformer and 5 metres of secondary cable

LED Recessed Cabinet Lighting Sets – 5 Pack

Model No	Max Wattage	Cut Out (mm)	Diam (mm)	Recess Depth (mm)
5626	6x White LED's/0.4w	30	40	35
5627	6x Blue LED's/0.4w	30	40	35
5628	6x Amber LED's/0.4w	30	40	35

Colour: Brushed Steel
Supplied with transformer and 20 metres of secondary cable

Slimline



19020 6 watts

LOW ENERGY



19021 10 watts

LOW ENERGY



19022 16 watts

LOW ENERGY



19023 20 watts

LOW ENERGY




19024 25 watts

LOW ENERGY



19025 30 watts

LOW ENERGY



link lead
available

Slimline Linkable Triphosphor Fluorescent Fittings (Switched)

Model No	Max Wattage	Length (mm)	Proj (mm)	Width (mm)
19020	Low Energy 1x 6w T4	270	45	18
19021	Low Energy 1x 10w T4	420	45	18
19022	Low Energy 1x 16w T4	520	45	18
19023	Low Energy 1x 20w T4	620	45	18
19024	Low Energy 1x 25w T4	710	45	18
19025	Low Energy 1x 30w T4	820	45	18

Colour: White

Supplied with lamp

Link Lead

Model No	Description
19032	250mm Link Lead

Fluorescent Cabinet Lights



Mains Voltage Track Pack



Fluorescent Cabinet Lights (Switched)

Model No	Max Wattage	Length (mm)	Proj (mm)	Width (mm)
PF601	Low Energy 1x 8w T5	345	25	80
PF602	Low Energy 1x 13w T5	570	25	80

Colour: White

Supplied with lamp and connector to link panels if required

Mains Voltage Track Pack

Model No	Max Wattage	Length (mm)	Proj (mm)
TP703	3x 240v/50w GU10	1200	170

Colours: Satin Steel, White

Supplied with lamps


Easytrack – Mains Voltage Track System



TS601 track spot



TS602 track spot



MT100 / MT200 track



TS601 track spot



TS602 track spot

Track spots are suitable for use with Concord Lytespan 1 and Nokia Global 1 systems

Easytrack – Single Circuit Mains Voltage Track System

Model No	Description	Length (mm)	Proj (mm)	Width (mm)
Track				
MT100	1 metre track with live end connector	1055	20	30
MT200	2 metre track with live end connector	2055	20	30
Track Spots				
TS601	1x 240v/50w GU10		130	
TS602	1x 240v/50w GU10		130	

Colours: White, Satin Steel

Maximum 24x 50w track spots or 16x 75w track spots per 5 amp circuit.
Track Spots are supplied with a 50w lamp but are suitable for use with the 75w GU10 lamp

